




KNÜRR® DICON

101 to 103



Knürr®-Dicon for table installation / Knürr®-Dicon table attachment

Knürr® Dicon table mounting frame


- Suitable for integration into Knürr® table mounting frames.
- Individually configurable power and data supply unit.
- Available in 3 country versions (DE, F, CH).
- 2 different widths (as 4-fold and 6-fold units).
- Flexible configuration of data module inserts thanks to Keystone mounting plates.

• Knürr® Dicon table-top frame (4/6-fold)

- Suitable for integration of a 4- or 6-fold Knürr® Dicon unit
- Easy and free positioning on the tabletop
- Rear cable outlet across the entire width

Color

Powder coated RAL7021, black grey



Version	w	D	Order-no. UP
4-fold table mounting frame	285	160	04.501.050.8 1 unit
6-fold table mounting frame	385	160	04.501.051.8 1 unit
4-fold table attachment frame			04.501.052.8 1 unit
6-fold table attachment frame			04.501.053.8 1 unit





Table mounting frame



Table mounting frame



Table top frame



03.322.054.8
03.322.055.8
03.322.056.8
03.322.057.8
03.322.058.1
03.322.059.1
03.322.060.1
03.322.061.1
03.322.062.1





Mounting plate - blind

Mounting plate 1x Keystone





Mounting plate 2x Keystone

Mounting plate 1x VGA

Version: Socket - Socket on all modules

	USB 3.0	RJ 45	НОМІ	Audio	VGA
Mounting plate 1x Keystone	1x	1x	1x	1x	-
Mounting plate 2x Keystone	2x	2x	2x	2x	-
Mounting plate 1x VGA	-	-	-	-	1x

Power cord for Knürr® Dicon unit

- NCEE/VII mains plug GST 18 socket (Wieland)
- H05VV-F3G 1.5 mm² cable
- Color
 - White

L	Order-no.	UP
2,0 m	04.000.040.0	1 unit
50 m	04 000 041 0	1 unit



DOS00467

Dimensions in mm: W= Width
H = Height
D = Depth
h = Installation height
d = Useful depth
L = Length

1 inch = 25,4 mm 1 pound = 453,6 g

HU = Standard height unit, 1 HU = 44,45 mm 19" = 482.6 mm, (Ideal for 19" components in acc. with DIN 41494) UP = Unit of packaging kg = Weight

Replace "x" with the number of your color choice





STANDARD WARRANTY

12 months statutory warranty within the scope of the published General Terms and Conditions. https://www.knuerr.com/en/imprint-privacy-policy

Service Benefits:

- Helpdesk availability during regular office hours
- Spare parts after return for repair by Knürr
- On-site exchange and repair on request

ESSENTIAL CARE



Warranty extension to **24 months** per console table.

Statutory warranty within the scope of the published General Terms and Conditions.

https://www.knuerr.com/en/imprint-privacy-policy

Service Benefits:

- Helpdesk availability during regular office hours
- Spare parts free of charge in advance
- On-site replacement and repair by agreement

FULL CARE



Warranty extension to **5 years** per console table. https://www.knuerr.com/en/imprint-privacy-policy

Service Benefits:

- Helpdesk Availability during regular office hours
- On-site replacement and repair by agreement
- Preventive service: Annual maintenance by Knürr
- System diagnosis and software update if necessary
- Check of the entire lifting mechanism
- Check of all cables and plug connections of the console table
- Replacement of defective components within the scope of intended use
- Creation of a maintenance protocol

Ergonomically designed products and solutions from a single source

Knürr is worldwide known as competent and reliable partner for holistic control room solutions and mobile equipment carrier. The ergonomically designed products are internationally in use and convince in demanding 24h-Mission-Critical Control Room environment of multiple industrial sectors.

Knürr GmbH

Mariakirchener Straße 38 94424 Arnstorf Germany T +49 8723 28 0 F +49 8723 28 138 info@knuerr.com



knuerr.com | Knürr GmbH, Mariakirchener Straße 38, 94424 Arnstorf, Germany ID-Nr. DE 363797731

© 2025 Knürr GmbH. All rights reserved. Knürr® and the Knürr logo are trademarks or registered trademarks of Knürr GmbH. All other names and logos referred to are trade names, trademarks or registered trademarks of their respective owners. While every precaution has been taken to ensure accuracy and completeness herein, Knürr GmbH assumes no responsibility, and disclaims all liability, for damages resulting from use of this information or for any errors or omissions. Specifications are subject to change without notice.