




**knürr**  
World of control rooms

# CONTROL ROOM SOLUTIONS BOOK

2026 / EN-V3

# KNÜRR® DICON

101 to 103



## Knürr®-Dicon for table installation / Knürr®-Dicon table attachment

- **Knürr® Dicon table mounting frame**
  - Suitable for integration into Knürr® table mounting frames.
  - Individually configurable power and data supply unit.
  - Available in 3 country versions (DE, F, CH).
  - 2 different widths (as 4-fold and 6-fold units).
  - Flexible configuration of data module inserts thanks to Keystone mounting plates.
- **Knürr® Dicon table-top frame (4/6-fold)**
  - Suitable for integration of a 4- or 6-fold Knürr® Dicon unit
  - Easy and free positioning on the tabletop
  - Rear cable outlet across the entire width
- **Color**
  - Powder coated RAL7021, black grey

| Model  | Input values |         | Input plug | Outputs   |       |            | Data modules | Order-no.    |
|--------|--------------|---------|------------|-----------|-------|------------|--------------|--------------|
|        | Voltage      | Current |            | DE Schuko | F UTE | CH Type 13 |              |              |
| 4-fold | 230V         | 16 A    | GST-18     | 2         |       |            | 2            | 03.300.022.8 |
| 4-fold | 230V         | 16 A    | GST-18     |           | 2     |            | 2            | 03.400.022.8 |
| 4-fold | 230V         | 16 A    | GST-18     |           |       | 1          | 2            | 03.701.012.8 |
| 4-fold | 230V         | 16 A    | GST-18     |           |       | 2          | 1            | 03.701.021.8 |
| 6-fold | 230V         | 16 A    | GST-18     | 3         |       |            | 3            | 03.300.033.8 |
| 6-fold | 230V         | 16 A    | GST-18     | 4         |       |            | 2            | 03.300.042.8 |
| 6-fold | 230V         | 16 A    | GST-18     |           | 3     |            | 3            | 03.400.033.8 |
| 6-fold | 230V         | 16 A    | GST-18     |           | 4     |            | 2            | 03.400.042.8 |
| 6-fold | 230V         | 16 A    | GST-18     |           |       | 2          | 3            | 03.701.023.8 |
| 6-fold | 230V         | 16 A    | GST-18     |           |       | 3          | 2            | 03.701.032.8 |

| Version                       | W   | D   | Order-no.    | UP     |
|-------------------------------|-----|-----|--------------|--------|
| 4-fold table mounting frame   | 285 | 160 | 04.501.050.8 | 1 unit |
| 6-fold table mounting frame   | 385 | 160 | 04.501.051.8 | 1 unit |
| 4-fold table attachment frame |     |     | 04.501.052.8 | 1 unit |
| 6-fold table attachment frame |     |     | 04.501.053.8 | 1 unit |



6-fold Schuko unit




Table mounting frame



Table mounting frame




Table top frame

## Knürr® Dicon mounting plates and keystone modules

|                                           |              |
|-------------------------------------------|--------------|
| Mounting plate - blind                    | 03.322.054.8 |
| Mounting plate 1xKeystone                 | 03.322.055.8 |
| Mounting plate 2xKeystone                 | 03.322.056.8 |
| Mounting plate 1xVGA                      | 03.322.057.8 |
| Keystone Module USB 3.0                   | 03.322.058.1 |
| Keystone Module RJ45 Cat.6A               | 03.322.059.1 |
| Keystone Module HDMI                      | 03.322.060.1 |
| Keystone Module AUDIO 3.5 mm 4-pin stereo | 03.322.061.1 |
| Keystone Module VGA                       | 03.322.062.1 |

**Version:** Socket - Socket on all modules



|                                   | USB 3.0 | RJ 45 | HDMI | Audio | VGA |
|-----------------------------------|---------|-------|------|-------|-----|
| <b>Mounting plate 1x Keystone</b> | 1x      | 1x    | 1x   | 1x    | -   |
| <b>Mounting plate 2x Keystone</b> | 2x      | 2x    | 2x   | 2x    | -   |
| <b>Mounting plate 1x VGA</b>      | -       | -     | -    | -     | 1x  |

## Power cord for Knürr® Dicon unit

- NCEE/VII mains plug - GST 18 socket (Wieland)
- H05VV-F3G 1.5 mm² cable
- Color
  - White

| L     | Order-no.    | UP     |
|-------|--------------|--------|
| 2,0 m | 04.000.040.0 | 1 unit |
| 5,0 m | 04.000.041.0 | 1 unit |



DOS00467

**Dimensions in mm:** W = Width  
 H = Height  
 D = Depth  
 h = Installation height  
 d = Useful depth  
 L = Length

HU = Standard height unit, 1 HU = 44.45 mm  
 19" = 482.6 mm, (ideal for 19" components in acc. with DIN 41494)  
 UP = Unit of packaging  
 kg = Weight

**Conversion:** 1 inch = 25.4 mm  
 1 pound = 453.6 g

Replace „x“ with the number of your color choice



# SERVICE & MAINTENANCE

## ESSENTIAL



### SCOPE OF SERVICES:

- **24/7 service hotline** – available at all times for rapid support from our experts
- **Reliable fault rectification** – service call-out within a maximum of 10 working days
- **Replacement parts included** – no additional material costs in the event of a fault

### Knürr® Service – ESSENTIAL

| Description                      | Order-nr.           |
|----------------------------------|---------------------|
| ESSENTIAL Service 24 months (2Y) | <b>94.000.024.0</b> |
| ESSENTIAL Service 36 months (3Y) | <b>94.000.036.0</b> |
| ESSENTIAL Service 48 months (4Y) | <b>94.000.048.0</b> |
| ESSENTIAL Service 60 months (5Y) | <b>94.000.060.0</b> |

### Knürr® proactive on-site maintenance

| Description                 | Order-nr.                 |
|-----------------------------|---------------------------|
| Maintenance                 | <b>94.001.000.0</b>       |
| Maintenance with DGUV/V3    | <b>94.001.000.0000001</b> |
| Maintenance with Thermoscan | <b>94.001.000.0000002</b> |

## PREMIUM



### SCOPE OF SERVICES:

- **24/7 service hotline** – available at all times for rapid support from our experts
- **Reliable fault rectification** – service call-out within a maximum of 5 working days
- **Replacement parts included** – no additional material costs in the event of a fault
- **On-site repairs included** – travel costs and labour costs are already included in the service package

### Knürr® Service – PREMIUM

| Description                      | Order-nr.           |
|----------------------------------|---------------------|
| PREMIUM Service 24 months (2Y)   | <b>94.000.024.1</b> |
| PREMIUM Service 36 months (3Y)   | <b>94.000.036.1</b> |
| PREMIUM Service 48 months (4Y)   | <b>94.000.048.1</b> |
| PREMIUM Service 60 months (5Y)   | <b>94.000.060.1</b> |
| PREMIUM Service 72 months (6Y)   | <b>94.000.072.1</b> |
| PREMIUM Service 84 months (7Y)   | <b>94.000.084.1</b> |
| PREMIUM Service 96 months (8Y)   | <b>94.000.096.1</b> |
| PREMIUM Service 108 months (9Y)  | <b>94.000.108.1</b> |
| PREMIUM Service 120 months (10Y) | <b>94.000.120.1</b> |

\*In accordance with Knürr service terms and conditions

## Ergonomically designed products and solutions from a single source

Knürr GmbH is one of the world's leading specialists for innovative solutions in safety- and performance-critical control centres and command rooms. For more than 50 years, the company, headquartered in Germany, has been delivering tailor-made and fully integrated workspace systems designed for demanding 24/7 operations.

Learn more about Knürr solutions and services at  
[www.knuerr.com](http://www.knuerr.com)

**Knürr GmbH**  
 Mariakirchener Straße 38  
 94424 Arnstorf  
 Germany  
 T +49 8723 28 0  
 F +49 8723 28 138  
[info@knuerr.com](mailto:info@knuerr.com)  
[www.knuerr.com](http://www.knuerr.com)



**knürr**  
World of control rooms